


[REDACTED]



By taking a copy of this document you acknowledge and agree that you will only use the document for the purpose specified above and that any dissemination, distribution or copying of this document is strictly prohibited.

DETAILS OF MAIN BUILDING

Bay Width:	4 x 3.500 m
Span:	7.000 m
Length(total):	14.000 m
Eave Height:	3.200 m
Overall Height:	3.880 m
Roof Pitch:	11 deg
Left Lean-to:	N/A
Right Lean-to:	N/A
Front Garaport:	0.000 m
Back Garaport:	0.000 m

DETAILS OF MAIN COMPONENTS



Roof Cladding:	0.42 Corro bmt - 0.48 Corro tct
Wall Cladding:	0.42 Corro bmt - 0.48 Corro tct
Columns:	C15024 "C" Purlin, Fixed with heavy duty plates and bolts
Rafters:	C15024 "C" Purlin, Fixed with heavy duty plates and bolts
Purlins:	TH64075 purlin fixed with heavy duty framing teks
Girt:	TH64075 girt fixed with heavy duty framing teks
Gutter:	Quad
Downpipes:	To ground level

Note: Garaport length is included in Length(total) shown above.

BUILDING LAYOUT (Quote #: 5530279214)

This document has been copied and made available for the purpose of the planning process as set out in the Planning and Environment Act 1987. The information must not be used for any other purpose.

By taking a copy of this document you acknowledge and agree that you will only use the document for the purpose specified above and that any dissemination, distribution or copying of this document is strictly prohibited.



PRICING

Kit Price (Inc GST)

\$15,480.00 less your discount of \$4,430.00 for a total of \$11,050.00 with our EOFY Sale. Strictly subject to availability. All orders must be finalised by 23/06/2025 to secure pricing. Discounted pricing and lead times subject to change due to increased EOFY demand and industry price rises.

Delivery

Delivery to Site Address included at \$715.00

TOTAL (inc GST)

"Best Sheds manufactured in Australia
& sold directly to consumers"


www.bestsheds.com.au



**best
sheds**

This document has been copied and made available for the purpose of the planning process as set out in the Planning and Environment Act 1987. The information must not be used for any other purpose.

By taking a copy of this document you acknowledge and agree that you will only use the document for the purpose specified above and that any dissemination, distribution or copying of this document is strictly prohibited.




"Best Sheds manufactured in Australia
& sold directly to consumers"


www.bestsheds.com.au




**best
sheds**



2 LEFT ELEVATION
SCALE: 1:75




1 RIGHT ELEVATION
SCALE: 1:75



3 REAR ELEVATION
SCALE: 1:75

FRAME #5



4 FRONT ELEVATION
SCALE: 1:75

FRAME #1

best sheds
Proud of Quality Expect A More

151 Smeaton Grange Road,
Smeaton Grange, NSW 2567
Phone: 02 4648 7777
Fax: 02 4648 7700
Email: sales@bestsheds.com.au

EMERALD
ENGINEERING

CIVIL & STRUCTURAL ENGINEERS
COMMERCIAL - INDUSTRIAL - RESIDENTIAL - FORENSIC - STEEL DETAILING
CAMILLO PINEDA MORENO
Senior Structural Engineer
NSW State Engineer Registration No. 12345

Signature

Date 25.06.2025

DATE: 25-06-2025
JOB NO: 5530278214
SHEET: 2 of 8

This document has been copied and made available for the purpose of the planning process as set out in the Planning and Environment Act 1987. The information must not be used for any other purpose.

By taking a copy of this document you acknowledge and agree that you will only use the document for the purpose specified above and that any dissemination, distribution or copying of this document is strictly prohibited.

DETAILS OF MAIN BUILDING


Bay Width:	2 x 3.000 m
Span:	6.000 m
Length(total):	6.000 m
Eave Height:	2.700 m
Overall Height:	3.283 m
Roof Pitch:	11 deg
Left Lean-to:	N/A
Right Lean-to:	N/A
Front Garaport:	0.000 m
Back Garaport:	0.000 m

DETAILS OF MAIN COMPONENTS

Roof Cladding:	0.42 Corro bmt - 0.48 Corro tct
Wall Cladding:	0.42 Corro bmt - 0.48 Corro tct
Columns:	C15015 "C" Purlin, Fixed with heavy duty plates and bolts
Rafters:	C15015 "C" Purlin, Fixed with heavy duty plates and bolts
Purlins:	TH64075 purlin fixed with heavy duty framing teks
Girt:	TH64075 girt fixed with heavy duty framing teks
Gutter:	Quad
Downpipes:	To ground level


Note: Garaport length is included in Length(total) shown above.

BUILDING LAYOUT (Quote #: 4030589455)



This document has been copied and made available for the purpose of the planning process as set out in the Planning and Environment Act 1987. The information must not be used for any other purpose.

By taking a copy of this document you acknowledge and agree that you will only use the document for the purpose specified above and that any dissemination, distribution or copying of this document is strictly prohibited.



PRICING

Kit Price (Inc GST)

Delivery

TOTAL (inc GST)

\$8,555.00 less your discount of \$2,465.00 for a total of \$6,090.00 with our EOFY Sale. Strictly subject to availability. All orders must be finalised by 23/06/2025 to secure pricing. Discounted pricing and lead times subject to change due to increased EOFY demand and industry price rises.

Delivery to Site Address included at \$330.00

"Best Sheds manufactured in Australia
& sold directly to consumers"


www.bestsheds.com.au



**best
sheds**

This document has been copied and made available for the purpose of the planning process as set out in the Planning and Environment Act 1987. The information must not be used for any other purpose.

By taking a copy of this document you acknowledge and agree that you will only use the document for the purpose specified above and that any dissemination, distribution or copying of this document is strictly prohibited.



"Best Sheds manufactured in Australia
& sold directly to consumers"

www.bestsheds.com.au



**best
sheds**